

Kevlar Collection

42 Inch Kevlar Fan WCP

310144WCP (Weathered Copper Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	310144WCP
Finish	Weathered Copper Powder Coat
Blade Finish	Brown
Collection	Kevlar Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	235	4048	84	.4	48
Med	170	3047	125	.29	24
Low	107	1935	173	.2	11

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	42"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50

Primary Control System
 Pull Chain - In project applications using multiple ceiling fans, alternative remote controls may be required. Please contact Kichler Advanced Product Solutions at 844-542-4537 to confirm your project requirements.

Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Low Ceiling Adaptable
Lead Wire Length	78.00"
Motor Size	153MM X 18MM
Motor Type	AC INDUCTION

Downlight


Watts	48/24/11
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Wet
--------------	-----



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.50	13.75	11.50	13.00	6.75

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Kevlar Collection

42 Inch Kevlar Fan WCP

310144WCP (Weathered Copper Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Matte White	310144MWH		MATTE WHITE	
Weathered Copper Powder Coat	310144WCP		BROWN	
Weathered Steel Powder Coat	310144WSP		SATIN BLACK	

Warranty www.kichler.com/warranty

Installation

Installation requirements The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked "For Fan Support"

Electrical Requirements 120V 60Hz AC

Hanging Weight 17.85 LBS

Minimum Distance Between Bottom Of Fan Blade To Floor 7 feet